# GSC3570 Open Door from Inside

## Physically More Secure

**Outdoor**

**Indoor**

GDS3710

GDS3705

Power

Data +Power

Data

Control data

11:59

12V DC

**12V DC for GSC3570 and Electric lock**

DOOR EXIT

AC

POE Switch

Ethernet

# GSC3570 RTSP Video Monitor Switching During SIP Calls



**Outdoor**

**Indoor**

**Video-B**

**Video-A**

**POE Switch**

Power

Data +Power

Data

Control data

**12V DC**

**12V DC for GSC3570 and Electric lock**

**Open Door video check
RTSP real-time video**

- Switching Video to Check Caller Scenes during SIP Call.
- SD card Store Snapshots when Doorbell Pressed or Motion Detected by the IP Camera

# GDS3710 Communicates to Multiple GSC3570 in Apartment Buildings or Similar Application Scene



Monitor Multiple IP Camaras, Call to Different SIP Terminals

GSC3570 in each Apt. Room or Floor

IP Cameras in Community, Apartment or Hallway, etc.

Ethernet

GDS3710 at Door

# GDS3710/GSC3570 Combined Open Door

GSC3570 at other rooms can check live video of IP Cameras

Indoor IP Camera

Outdoor IP Camera

Indoor Sensors and Alarms

2nd Door Controlled by GSC3570/Lock

Front Door Controlled by GDS3710/Lock

# GSC3570/GSC3510/IPC Video Monitor During Call (Secure Campus)

## Outdoor

**Video Source**

**Audio Source**

## Indoor

**POE Switch**

**Check Live Video During SIP Call & Take Action**

**Audio Source**

**12V DC**

**12V DC for GSC3570 and Electric lock**

Emergency

Northeastern

POLICE
NORTHEASTERN

# Grandstream Convergence Solution:

## Device Connection Used (Ethernet)



Door 1                    Door 2

# Grandstream Convergence Solution:

## Device Connection Used (Wi-Fi)



**POE Switch**

**GSC3570**

**Ethernet**

**WiFi AP**