



BA2100 Series Feature Sheet



- | Router
- | Bandwidth Aggregation
- | Auto Load Balance
- | Auto Failover

BA 2100 Series

Bandwidth Aggregator

Tacitine BA2100 Bandwidth Aggregator increases your internet bandwidth and lowers your cost by combining multiple ISP connections into one. Your usable bandwidth is combined to total of individual WAN connections both upstream and downstream.

The BA2100 supports Auto Load Balance, Auto failover between multiple WAN in addition to 3G/4G dongle support. BA2100 will dramatically lower your infrastructure cost and operational expenditure with its features.



Key Features




- Router
- Firewall
- Sessions Based Aggregation
- Inbound & Outbound Load Balance
- Quality Based Link Fail Over
- Active - Passive Support
- Multi WAN Connectivity
- High Availability
- Quality of Service
- Quality Based Link Failover
- Appliance Administration
- Live Network Sniffer
- Real Time Netflow Analyzer
- Remote Management
- 2G/3G/4G LTE/USB dongle support
- Scalable Hardware
- Perpetual Product License
- Logs & Reports

BA 2100 Series Features

- Multiple WAN & LAN support (3 WAN & 3 LAN)
- Wireless WAN Support (2G, 3G & 4G)
- Support Static IP | PPPoE & DHCP on WAN Interface
- VLAN Support on WAN & LAN Interface
- DHCP & DNS Server support per LAN interface
- Multi Zone WAN & LAN support
- Transparent Bridging & Drop in placement support
- Internal DNS Domain & Alternate DNS Server support
- Inbound & Outbound load balancing
- Support for data usage accounting with alert option per WAN Interface

- SPI Firewall

Reports Sample Images



BA 2100 has builtin on appliance live logs, web browsing

Partners:



Tacitine Consulting Pvt Ltd

No. 6/1, 1st Main, Behind Kodava Samaj,
Vasanth Nagar, Bangalore – 560 052.

www.tacitine.com

USA | Middle East | Africa | South East Asia