



AAA Hotspot Solutions



AAA Hotspot
Solutions
For
Enterprise
Class
Network
With
User
Scalability

Tacitine provides solutions for unique and complex network structures. We superseded technology products with scrupulous development to intellect of industry requirement.

Tacitine AAA Hotspot product designed & deployed across Internet Service Provider (ISP), Hospitality, Education, Corporate and Public WiFi hotspot segments.

It stipulates complete secure control to wired and wireless users with AAA and comes with detail logs and reports as per the regulatory requirements in the same appliance.

Hardware Specification

Parameters	HS5200			
	Prime Hexa 200	Prime Hexa 300	Prime Hexa 400	Prime Hexa 500
Gigabit Ethernet Ports	1xLAN + 5xLAN/WAN Combo	1xLAN + 5xLAN/WAN Combo	1xLAN + 5xLAN/WAN Combo	1xLAN + 5xLAN/WAN Combo
RAM DDR3	4GB	4GB	4GB	4GB
Storage	32GB(S)/D/ 500GB(H)(R)/ 64GB(S)(O) (S=SSD, H=HDD) (D=Default, O=Optional, R=On Request)			
USB / VGA Port	2/ 1 Port	2/ 1 Port	2/ 1 Port	2/ 1 Port
Form Factor	1U	1U	1U	1U
Dimensions (mm) - (HxWxD)	44x360x270	44x360x270	44x360x270	44x360x270
Weight (Kg)	4.5	4.5	4.5	4.5
Color	Orange	Orange	Orange	Orange
Power Supply	230V AC 3-Pin	230V AC 3-Pin	230V AC 3-Pin	230V AC 3-Pin
Input Voltage	100-240V/50-60Hz	100-240V/50-60Hz	100-240V/50-60Hz	100-240V/50-60Hz
Consumption	70W	70W	90W	100W
Total Heat Dissipation (BTU)	180	220	250	260
Operating Temperature	0-45°C	0-45°C	0-45°C	0-45°C
Storage Temperature	2-70°C	2-70°C	2-70°C	2-70°C
Relative Humidity (NC)	10 to 90%	10 to 90%	10 to 90%	10 to 90%
Regulatory Compliance	FCC Part 15, Class B, CE	FCC Part 15, Class B, CE	FCC Part 15, Class B, CE	FCC Part 15, Class B, CE

Ordering Information

HS5200-Prime Hexa-200-H-Y	6 Port device includes AAA hotspot License & HW Warranty subscription upto 250 concurrent users with "H" Variant and "Y" Support.
HS5200-Prime Hexa-300-H-Y	6 Port device includes AAA hotspot License & HW Warranty subscription upto 350 concurrent users with "H" Variant and "Y" Support.
HS5200-Prime Hexa-400-H-Y	6 Port device includes AAA hotspot License & HW Warranty subscription upto 450 concurrent users with "H" Variant and "Y" Support.
HS5200-Prime Hexa-500-H-Y	6 Port device includes AAA hotspot License & HW Warranty subscription upto 550 concurrent users with "H" Variant and "Y" Support.

H = Hotspot Variants Options: Office Hotspot (OHS), Hospitality Hotspot (HHS), Educational Hotspot(EHS).
Y = Subscription years options : 1 Year or 3 Years



Tacitine Assured Support

Tacitine products come with direct OEM 24/7 support by trained Professionals for product configuration and support. TAS helps customer on security best practices, make the network better performance and more reliable.



www.tacitine.com

Tacitine Consulting Pvt Ltd,
6/1, 1st Main, Behind Kodava Samaj,
Vasanth Nagar, Bangalore – 560 052.
sales@tacitine.com
India | USA | Middle East | South East Asia